MacAndrew Alcoholism Scale (Mac)

BRIEF DESCRIPTION	The Mac is designed to screen for alcoholism "covert content items," i.e., those that do not directly mention drinking. The scale is embedded in the Minnesota Multiphasic Personality Inventory, but it can also be administered separately.
TARGET POPULATION	⊠ Adults
	Adolescents
	Groups for which this instrument might be especially helpful?
	Alcoholics, who are likely to deny problems with drinking if asked directly
ADMINISTRATIVE ISSUES	Number of items: 49
	Number of subscales:
	Format(s): \boxtimes Pencil-and-paper, self-administered
	☐ Interview
	Observation
	⊠ Computer self-administered
	Other
	Time required for administration: 10 minutes
	Administered by: Nonprofessional, clerical
	Training required for administration? \square yes \boxtimes no
SCORING	Time required to score/interpret: 2 to 3 minutes
	Scored by: Nonprofessional/clerical
	Computerized scoring or interpretation available? \square yes \boxtimes no
	Norms available? ⊠ yes □ no
	Instrument normed on subgroups? \boxtimes yes \square no
	Which groups? Women, alcoholics with collateral drug problems

PSYCHOMETRICS	Have reliability studies been done? ⊠ yes □ no
	What measure(s) of reliability was used?
	⊠ Test-retest
	☐ Split half
	⊠ Internal consistency
	Have validity studies been done? \boxtimes yes \square no
	What measures of validity have been derived?
	☐ Content
	☑ Criterion (predictive, concurrent, "postdictive")
	⊠ Construct
CLINICAL UTILITY OF INSTRUMENT	The Mac appears to screen for alcohol problems by assessing personality and attitudinal characteristics that commonly distinguish individuals with such problems from those without.
RESEARCH APPLICABILITY	Research on personality characteristics of alcoholics
SOURCE, COST AND COPYRIGHT ISSUES	Copyright: ⊠ yes □ no
	Cost: \$1.00 per test
	Source: National Computer Systems, Inc. Assessments Division
	P.O. Box 1416
	Minneapolis, MN 55440
SOURCE REFERENCE	MacAndrew, C. (1965). The differentiation of male alcoholic outpatients from
	non-alcoholic psychiatric outpatients by means of the MMPI. Quarterly Journal of Studies on Alcohol, 26, 238-246.
SUPPORTING REFERENCES	Kamierczak, D.A., Smyth, N.H.J. & Wodarski, J.S. (1999). Screenings and assessment instruments for alcohol and other drugs. <i>Family Therapy, 26(2), 103-119.</i>
	Litt, M.D., Babor, T.F., DelBoca, F.K., Kadden, R.M. & Cooney, N.L. (1992). Types of alcoholics: II. Application of an empirically derived typology to treatment matching. <i>Archives of General Psychiatry</i> , 49(8), 609-614.
	Allen, J.P. (1991). Personality correlates of the MacAndrew Alcoholism Scale: A review of the literature. <i>Psychology of Addictive Behaviors,</i> $5(2)$, $59-65$.
	Gottesman, I.I. & Prescott, C.A. (1989). Abuses of the MacAndrew MMPI Alcoholism Scale: A critical review. <i>Clinical Psychology Review</i> , 9, 223-242.
	Preng, K.W. & Clopton, J.R. (1986). The MacAndrew Scale: Clinical application and theoretical issues. <i>Journal of Consulting and Clinical Psychology</i> , 47, 1090-1095.